

DILLON & YUDELL LLP
ATTORNEYS AT LAW

RECEIVED
CENTRAL FAX CENTER

OCT 29 2004

FACSIMILE TRANSMITTAL SHEET

TO:	Examiner M. Siddiqi	FROM:	Brian F. Russell, Reg. No. 40,796
COMPANY:	U. S. Patent and Trademark Office	DATE:	October 29, 2004
FAX NUMBER:	703.872.9306/Central No.	TOTAL NO. OF PAGES INCLUDING COVER:	10
PHONE NUMBER:		SENDER'S REFERENCE NUMBER:	RPS920Q00011US1
RE:	Response to Non-Final O.A.	YOUR REFERENCE NUMBER:	09/804,875

☐ URGENT ☐ FOR REVIEW ☐ PLEASE COMMENT ☐ PLEASE REPLY ☐ PLEASE RECYCLE

NOTES/COMMENTS:

Please see the attached formal response, and feel free to call me at (512) 343.6116 should you have any questions concerning the attached.

1. Response B Under 37 C.F.R. § 1.111

Respectfully submitted,
Brian F. Russell

This fax from the law firm of Dillon & Yudell LLP contains information that is confidential or privileged, or both. This information is intended only for the use of the individual or entity named on this fax cover letter. Any disclosure, copying, distribution or use of this information by any person other than the intended recipient is prohibited. If you have received this fax in error, please notify us by telephone immediately at 512.343.6116 so that we can arrange for the retrieval of the transmitted documents at no cost to you.

8911 N. CAPITAL OF TEXAS HWY., SUITE 2110, AUSTIN, TEXAS 78759
512.343.6116 (V) • 512.343.6446 (F) • DILLONYUDELL.COM

RECEIVED
CENTRAL FAX CENTER

OCT 29 2004

IN THE UNITED STATES PATENT & TRADEMARK OFFICEIn re Application of:
DAKESerial No.: **09/804,875**Filed: **MARCH 13, 2001**Title: **SEAMLESS COMPUTER
SYSTEM REMOTE CONTROL**§
§
§
§
§
§
§
§
§Attorney Docket No.: **RPS920000011US1**Examiner: **SIDDIQI, M.**Group Art Unit: **2154****RESPONSE B UNDER 37 C.F.R. § 1.111**Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

This Amendment is submitted in response to the Office Action dated **October 7, 2004**,
having a shortened statutory period set to expire **January 7, 2005**.

Please amend the above-identified application as indicated below.

